

# FOOTPRINT, ECODRUM MODEL 740

PAGE 1 OF 3


VOLTAGE: 240 V

AMPERAGE: 20 A

WEIGHT: 7,300 LBS

ALL DIMENSIONS FOR REFERENCE ONLY

240V 20A PLUG  
(NEMA 6-20)




DOOR OPENING  
58" X 36" TYP 2X

PLATFORM STAIRS  
PN 17710  
OPTION SHOWN (2X)

DISCHARGE


LOAD ASSIST  
PN 17900  
OPTION SHOWN (1X)



|       |          |        |        |              |                            |                                |                |
|-------|----------|--------|--------|--------------|----------------------------|--------------------------------|----------------|
| -     | -        | -      | -      | -            | MATERIAL                   | TITLE: FOOTPRINT, 740 W STAIRS | NEXT ASSY:     |
| -     | -        | -      | -      | -            | FINISH                     | LOAD ASSIST AND CLEARANCE      | FINISH. WT. LB |
|       |          |        |        |              | TOLERANCES:                | DRAWING NO.                    | SCALE: 1:128   |
|       |          |        |        |              | UNLESS OTHERWISE SPECIFIED |                                | SALES PT#      |
|       |          |        |        |              | FRAC. ±1/32                |                                |                |
|       |          |        |        |              | X.X ±0.05                  |                                |                |
|       |          |        |        |              | X.XX ±0.01                 |                                |                |
|       |          |        |        |              | X.XXX ±0.002               |                                |                |
|       |          |        |        |              | X.XXXX ±0.0005             |                                |                |
|       |          |        |        |              | ANGLES ±1°                 |                                |                |
|       |          |        |        |              | DIMENSIONS ARE IN INCHES   |                                |                |
| A     | ISSUED   | 0000   | JW     | FEB 22, 2018 |                            |                                |                |
| ISSUE | REVISION | E.C.N. | CHG BY | CHK BY       | DATE                       |                                |                |



CONCRETE: 4" THICK MINIMUM  
WITH 10MM DIAMETER REBAR @ 18" CENTERS  
(CONSULT LOCAL CODES)





|       |          |        |        |              |                            |         |             |                           |                |
|-------|----------|--------|--------|--------------|----------------------------|---------|-------------|---------------------------|----------------|
| -     | -        | -      | -      | -            | MATERIAL                   | MS      | TITLE:      | FOOTPRINT, 740 W STAIRS   | NEXT ASSY:     |
| -     | -        | -      | -      | -            | FINISH                     |         |             | LOAD ASSIST AND CLEARANCE |                |
|       |          |        |        |              | TOLERANCES:                |         | DRAWING NO. |                           | FINISH. WT. LB |
|       |          |        |        |              | UNLESS OTHERWISE SPECIFIED |         |             |                           | SCALE: 1:256   |
|       |          |        |        |              | FRAC.                      | ±1/32   |             |                           | SALES PT#      |
|       |          |        |        |              | X.X                        | ±0.05   |             |                           |                |
|       |          |        |        |              | X.XX                       | ±0.01   |             |                           |                |
|       |          |        |        |              | X.XXX                      | ±0.002  |             |                           |                |
|       |          |        |        |              | X.XXXX                     | ±0.0005 |             |                           |                |
|       |          |        |        |              | ANGLES                     | ±1°     |             |                           |                |
|       |          |        |        |              | DIMENSIONS ARE IN          | INCHES  |             |                           |                |
| A     | ISSUED   | 0000   | JW     | FEB 22, 2018 |                            |         |             |                           |                |
| ISSUE | REVISION | E.C.N. | CHG BY | CHK BY       | DATE                       |         |             |                           |                |



STANDARD LOADING PN 40040  
REVERSE LOADING PN 40045


STANDARD

REVERSE



REVERSE

STANDARD



|       |          |        |        |              |                            |         |             |                           |              |
|-------|----------|--------|--------|--------------|----------------------------|---------|-------------|---------------------------|--------------|
| -     | -        | -      | -      | -            | MATERIAL                   | MS      | TITLE:      | FOOTPRINT, 740 W STAIRS   | NEXT ASSY:   |
| -     | -        | -      | -      | -            | FINISH                     |         |             | LOAD ASSIST AND CLEARANCE | FINISH. WT.  |
|       |          |        |        |              |                            |         | DRAWING NO. |                           | LB           |
|       |          |        |        |              | TOLERANCES:                |         |             |                           | SCALE: 1:256 |
|       |          |        |        |              | UNLESS OTHERWISE SPECIFIED |         |             |                           | SALES PT#    |
|       |          |        |        |              | FRAC.                      | ±1/32   |             |                           |              |
|       |          |        |        |              | X.X                        | ±0.05   |             |                           |              |
|       |          |        |        |              | X.XX                       | ±0.01   |             |                           |              |
|       |          |        |        |              | X.XXX                      | ±0.002  |             |                           |              |
|       |          |        |        |              | X.XXXX                     | ±0.0005 |             |                           |              |
|       |          |        |        |              | ANGLES                     | ±1°     |             |                           |              |
|       |          |        |        |              | DIMENSIONS ARE IN          | INCHES  |             |                           |              |
| A     | ISSUED   | 0000   | JW     | FEB 22, 2018 |                            |         |             |                           |              |
| ISSUE | REVISION | E.C.N. | CHG BY | CHK BY       | DATE                       |         |             |                           |              |

